

Revision date : 2018/11/19 Page: 1/13
Version: 8.0 (30628690/SDS CPA US/EN)

### 1. Identification

### Product identifier used on the label

# **PT Alpine Pressurized Insecticide**

### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, insecticide

Recommended use\*: insecticide

### Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

### **Emergency telephone number**

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

### Other means of identification

Substance number: 397463
EPA Registration number: 499-531
Synonyms: Dinotefuran

## 2. Hazards Identification

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

### Classification of the product

Flam. Liq. 2 Flammable liquids Skin Corr./Irrit. 2 Skin corrosion/irritation

Eye Dam./Irrit. 2A Serious eye damage/eye irritation

STOT SE 3 (Vapours may cause Specific target organ toxicity — single exposure

drowsiness and

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

# **Safety Data Sheet**

# **PT Alpine Pressurized Insecticide**

Revision date : 2018/11/19 Page: 2/13 Version: 8.0 (30628690/SDS\_CPA\_US/EN)

dizziness.)

Aquatic Acute 3 Hazardous to the aquatic environment - acute Aquatic Chronic 3 Hazardous to the aquatic environment - chronic

Flam. Aerosol 1 Flammable aerosols

#### Label elements

### Pictogram:



### Signal Word: Danger

### Hazard Statement:

H222 Extremely flammable aerosol.
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

### Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves and eye/face protection.

P271 Use only outdoors or in a well-ventilated area.

P243 Take action to prevent static discharges.

P273 Avoid release to the environment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P240 Ground and bond container and receiving equipment.

P264 Wash with plenty of water and soap thoroughly after handling.

### Precautionary Statements (Response):

P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P337 + P311 If eye irritation persists: Call a POISON CENTER or doctor/physician.
P370 + P378 In case of fire: Use water spray, dry powder, foam or carbon dioxide for

extinction.

P362 + P364 Take off contaminated clothing and wash it before reuse.

### Precautionary Statements (Storage):

# Safety Data Sheet

# **PT Alpine Pressurized Insecticide**

Revision date : 2018/11/19 Page: 3/13 Version: 8.0 (30628690/SDS\_CPA\_US/EN)

P403 + P235 Store in a well-ventilated place. Keep cool.

P233 Keep container tightly closed.

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/

122°F.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

### Hazards not otherwise classified

### Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 1 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 1 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 2 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 2 % Inhalation - mist

## 3. Composition / Information on Ingredients

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	<u>Weight %</u>	Chemical name
165252-70-0	0.5 %	Dinotefuran
67-64-1	25.0 - 50.0%	2-Propanone
124-38-9	1.0 - 3.0%	carbon dioxide

### 4. First-Aid Measures

### **Description of first aid measures**

### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

### If on skin:

Wash thoroughly with soap and water.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Revision date : 2018/11/19 Page: 4/13 Version: 8.0 (30628690/SDS\_CPA\_US/EN)

### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

### Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

## 5. Fire-Fighting Measures

### **Extinguishing media**

Suitable extinguishing media:

foam, dry powder, carbon dioxide, water spray

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide,

The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

### Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### **Further information:**

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

Revision date : 2018/11/19 Page: 5/13 Version: 8.0 (30628690/SDS\_CPA\_US/EN)

# 7. Handling and Storage

### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

### Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

### Storage stability:

May be kept indefinitely if stored properly.

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

### Components with occupational exposure limits

Acetone	ACGIH TLV	1,000 ppm 2,400 mg/m3; STEL value 1,000 ppm 2,400 mg/m3; TWA value 750 ppm 1,800 mg/m3; TWA value 250 ppm; STEL value 500 ppm;
carbon dioxide	OSHA PEL	PEL 5,000 ppm 9,000 mg/m3 ; TWA value 10,000 ppm 18,000 mg/m3 ; STEL value 30,000 ppm 54,000 mg/m3 ;
	ACGIH TLV	TWA value 5,000 ppm; STEL value 30,000 ppm;

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Revision date : 2018/11/19 Page: 6/13 Version: 8.0 (30628690/SDS\_CPA\_US/EN)

### Personal protective equipment

# RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

### Eve protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

### **Body protection:**

Melting point:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

### 9. Physical and Chemical Properties

Form: aerosol Odour: of acetone

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: colourless approx. 8 - 10 (23 °C)

approx. -95 °C

Information applies to the solvent.

Boiling range: approx. 56 - 57 °C

Information applies to the solvent.

Flash point: < -20 °C (Regulation 440/2008/EC, A.9)

Flammability: Extremely flammable.

Flammability of Aerosol > 90 cm (UN Test Sub-Products: section 31.4)

NFPA 30B flammability: Level 1 Aerosol Lower explosion limit: approx. 2 %(V)

Information applies to the propellant.

Upper explosion limit: approx. 27 %(V)

Information applies to the propellant.

Autoignition: 630 °C (Regulation

440/2008/EC, A.15)

SADT: > 75 °C

Revision date : 2018/11/19 Page: 7/13 Version: 8.0 (30628690/SDS\_CPA\_US/EN)

Vapour pressure: approx. 5330 hPa

(20°C)

Information applies to the propellant.

Density: approx. 0.95 g/cm3

(20°C)

Vapour density: 2

Information based on the main

components.

Partitioning coefficient n-

n- not applicable

octanol/water (log Pow):
Thermal decomposition: carbon monoxic

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen

oxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To

avoid thermal decomposition, do not overheat.

Viscosity, dynamic: approx. 1.75 mPa.s

(approx. 21 °C)

Solubility in water: soluble

Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

# 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

not fire-propagating (Regulation 440/2008/EC, A.21)

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

The product is chemically stable.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

### Incompatible materials

halogenated hydrocarbons

### Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide

Revision date : 2018/11/19 Page: 8/13 Version: 8.0 (30628690/SDS\_CPA\_US/EN)

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### **Acute Toxicity/Effects**

### Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

### <u>Oral</u>

Type of value: LD50 Species: rat

Value: > 5,000 mg/kg

### Inhalation

Type of value: LC50 Species: rat

Value: > 2.05 mg/l

No mortality was observed.

### Dermal

Type of value: LD50 Species: rat

Value: > 5,000 mg/kg

### Assessment other acute effects

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness).

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause slight irritation to the skin.

# <u>Skin</u>

Species: rabbit Result: non-irritant

### <u>Eye</u>

Species: rabbit Result: non-irritant

### **Sensitiz**ation

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test Species: guinea pig

Revision date : 2018/11/19 Page: 9/13 Version: 8.0 (30628690/SDS\_CPA\_US/EN)

Result: Non-sensitizing.

### **Aspiration Hazard**

The product has not been tested. The statement has been derived from the properties of the individual components. May also damage the lung at swallowing (aspiration hazard).

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

### Information on: Acetone

Assessment of repeated dose toxicity: The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

### Information on: carbon dioxide

Assessment of repeated dose toxicity: The substance may cause damage to the lung after repeated inhalation of high doses. The substance may cause damage to the heart after repeated inhalation of high doses, as shown in animal studies.

\_\_\_\_\_

#### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

### Information on: Acetone

Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.

\_\_\_\_\_

#### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### Information on: carbon dioxide

Assessment of teratogenicity: The potential to cause toxicity to development cannot be excluded at maternally toxic doses.

-----

### Other Information

Misuse can be harmful to health.

### Symptoms of Exposure

Revision date : 2018/11/19 Page: 10/13 Version: 8.0 (30628690/SDS\_CPA\_US/EN)

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

# 12. Ecological Information

### **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Toxicity to fish

Information on: Dinotefuran technical

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss LC50 (96 h) > 100 mg/l, Cyprinus carpio

\_\_\_\_\_

### Aquatic invertebrates

Information on: Dinotefuran technical EC50 (48 h) > 1,000 mg/l, Daphnia magna EC50 (96 h) 0.79 mg/l, Mysidopsis bahia

\_\_\_\_\_

### Aquatic plants

Information on: Dinotefuran technical

EC50 (72 h) 97.6 mg/l (biomass), Pseudokirchneriella subcapitata

-----

### Chronic toxicity to aquatic invertebrates

Information on: Dinotefuran technical

No observed effect concentration 0.089 mg/l, Mysidopsis bahia

-----

### Persistence and degradability

### Assessment biodegradation and elimination (H2O)

Information on: Dinotefuran technical

Not readily biodegradable (by OECD criteria).

-----

### Bioaccumulative potential

### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

### Assessment bioaccumulation potential

Revision date : 2018/11/19 Page: 11/13
Version: 8.0 (30628690/SDS\_CPA\_US/EN)

Information on: Dinotefuran technical

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to

be expected.

-----

# Mobility in soil

### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dinotefuran technical

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

\_\_\_\_\_

### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

### 13. Disposal considerations

### Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

### Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

## 14. Transport Information

#### Land transport

**USDOT** 

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1

Proper shipping name: AEROSOLS

Sea transport

**IMDG** 

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1
Marine pollutant: NO

Proper shipping name: AEROSOLS

Air transport

IATA/ICAO

Hazard class: 2.1 ID number: UN 1950

Revision date : 2018/11/19 Page: 12/13 Version: 8.0 (30628690/SDS\_CPA\_US/EN)

Hazard label: 2.1

Proper shipping name: AEROSOLS, FLAMMABLE

### **Further information**

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

### 15. Regulatory Information

### **Federal Regulations**

### Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

Biocide TSCA, US blocked / not listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

<b>CERCLA RQ</b>	<b>CAS Number</b>	Chemical name
5000 LBS	67-64-1	Acetone
100 LBS	115-10-6	dimethyl ether

### State regulations

State RTK	<b>CAS Number</b>	<b>Chemical name</b>
PA	67-64-1	Acetone
	115-10-6	dimethyl ether
	124-38-9	carbon dioxide
MA	67-64-1	Acetone
	115-10-6	dimethyl ether
	124-38-9	carbon dioxide
NJ	67-64-1	Acetone
	115-10-6	dimethyl ether
	124-38-9	carbon dioxide

### Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

### CAUTION:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Flammable Liquid

Revision date : 2018/11/19 Page: 13/13 Version: 8.0 (30628690/SDS\_CPA\_US/EN)

Aerosol container contains flammable gas under pressure.

### 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2018/11/19

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE. WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**