

Version Revision Date: SDS Number: This version replaces all previous versions.

2.0 01/30/2020 S00027065176

SECTION 1. IDENTIFICATION

Product name : OPTIGARD COCKROACH GEL BAIT

Design code. : A15276C

Product Registration number : 100-1290

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192 Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H361d Suspected of damaging the unborn child.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.



Version Rev 2.0 01/3

Revision Date: SDS Number: 01/30/2020 S00027065176

This version replaces all previous versions.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
sucrose, pure	57-50-1	>= 10 - < 20
3,4-Pyridinedimethanol, 5-hydroxy-6-	58-56-0	>= 5 - < 10
methyl-, hydrochloride		
Pyridine-3-carboxylic acid	59-67-6	>= 5 - < 10
acetic acid	64-19-7	>= 1 - < 5
starch	9005-25-8	>= 1 - < 5
3,5,7-triaza-1-	51229-78-8	>= 0.1 - < 1
azoniatricyclo(3,3,1,13,7)decane		
emamectin benzoate	155569-91-8	0.1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms

Tremors

and effects, both acute and

D'Istations of the

delayed

Dilatation of the pupil

Lack of coordination

Notes to physician

This material is believed to enhance GABA activity in animals. It is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiaziphines, valproic acid) in patients with

potentially toxic mectin exposure.

Toxicity can be minimized by early administration of chemical



Version 2.0

Revision Date: 01/30/2020

SDS Number: S00027065176

This version replaces all previous versions.

absorbents (e.g. activated charcoal).

If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance

should be gauged.

Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive measures as indicated by clinical signs, symptoms and

measurements.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment :

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, pick up with an electrically protected vacuum

cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

Do not create a powder cloud by using a brush or compressed

air.

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes.



Version Revision Date: SDS Number: This version replaces all previous versions.

2.0 01/30/2020 S00027065176

When using do not eat, drink or smoke.

For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sucrose, pure	57-50-1	TWA	10 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
acetic acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		TWA	10 ppm 25 mg/m3	NIOSH REL
		ST	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z-1
starch	9005-25-8	TWA	10 mg/m3	ACGIH
		TWA (Res- pirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
emamectin benzoate	155569-91-8	TWA	0.02 mg/m3	Syngenta

Engineering measures

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene



Version 2.0

Revision Date: 01/30/2020

SDS Number: S00027065176 This version replaces all previous versions.

advice.

Personal protective equipment

Respiratory protection No personal respiratory protective equipment normally

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

No special protective equipment required. Remarks No special protective equipment required. Eye protection Skin and body protection

No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

The use of technical measures should always have priority Protective measures

> over the use of personal protective equipment. When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance solid

Color No data available Odor No data available

Odor Threshold No data available

No data available pΗ

Melting point/range No data available

No data available Boiling point/boiling range

Flash point No data available

Evaporation rate No data available

Flammability (solid, gas) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure No data available

Relative vapor density No data available

1.097 g/cm3 (25 °C / 25 °C) Density

Bulk density

Solubility(ies)

1 g/ml



Version Revision Date: SDS Number: This version replaces all previous versions.

2.0 01/30/2020 S00027065176

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 (Rat, male and female): > 5,050 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

Components:

3,5,7-triaza-1-azoniatricyclo(3,3,1,13,7)decane:

Acute oral toxicity : LD50 (Rat, female): 1,552 mg/kg

SAFETY DATA SHEET



OPTIGARD COCKROACH GEL BAIT

Version Revision Date:

SDS Number:

This version replaces all previous versions.

2.0 01/30/2020 S00027065176

Acute dermal toxicity : LD50 (Rabbit): 923 mg/kg

emamectin benzoate:

Acute oral toxicity : LD50 (Rat, male): 63 mg/kg

LD50 (Rat, female): 53 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): > 1.049 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

LC50 (Rat, female): 0.663 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male): 500 - 1,000 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Remarks : The toxicological data has been taken from products of similar

composition.

Components:

acetic acid:

Assessment : Corrosive

3,5,7-triaza-1-azoniatricyclo(3,3,1,13,7)decane: Result : Irritating to skin.

emamectin benzoate:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Remarks : The toxicological data has been taken from products of similar

composition.

Components:

3,4-Pyridinedimethanol, 5-hydroxy-6-methyl-, hydrochloride:

Result : Risk of serious damage to eyes.



This version replaces all previous versions.

OPTIGARD COCKROACH GEL BAIT

Version Revision Date: SDS Number:

2.0 01/30/2020 S00027065176

Pyridine-3-carboxylic acid:

Result : Eye irritation

acetic acid:

Assessment : Corrosive

3,5,7-triaza-1-azoniatricyclo(3,3,1,13,7)decane:

Result : Eye irritation

emamectin benzoate:

Species : Rabbit

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Product:

Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.
Remarks : Information given is based on data obtained from similar

substances.

Components:

3,5,7-triaza-1-azoniatricyclo(3,3,1,13,7)decane:

Result : May cause sensitization by skin contact.

emamectin benzoate:

Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Components:

acetic acid:

Germ cell mutagenicity - : In vivo tests did not show mutagenic effects

Assessment

emamectin benzoate:

Germ cell mutagenicity -

: Animal testing did not show any mutagenic effects.

Assessment

Carcinogenicity

Components:

acetic acid:

Carcinogenicity - Assess-

Animal testing did not show any carcinogenic effects.

ment

emamectin benzoate:

Carcinogenicity - Assess- : No evidence of carcinogenicity in animal studies.



Version 2.0

Revision Date: 01/30/2020

SDS Number: S00027065176

This version replaces all previous versions.

ment

Reproductive toxicity

Components:

acetic acid:

Reproductive toxicity - As-

No information available.

sessment

3,5,7-triaza-1-azoniatricyclo(3,3,1,13,7)decane:

Reproductive toxicity - As-

sessment

: Some evidence of adverse effects on development, based on

animal experiments.

emamectin benzoate:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

STOT-single exposure

Components:

emamectin benzoate:

Target Organs : Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 1.

Remarks : A single exposure may damage the central and peripheral

nervous systems.

STOT-repeated exposure

Components:

emamectin benzoate:

Target Organs : Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

Further information

Components:

acetic acid:

Remarks : If ingested, severe burns of the mouth and throat, as well as a

danger of perforation of the esophagus and the stomach.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l

Exposure time: 96 h

Remarks: Derived from components.



Version 2.0

Revision Date: 01/30/2020

SDS Number: S00027065176 This version replaces all previous versions.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1 mg/l

Exposure time: 48 h

Remarks: Derived from components.

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.9

mg/l

Exposure time: 5 d

Remarks: Derived from components.

Ecotoxicology Assessment

Acute aquatic toxicity Very toxic to aquatic life., Classification of the product is

based on the summation of the concentrations of classified

components.

Very toxic to aquatic life with long lasting effects., Classifica-Chronic aquatic toxicity

tion of the product is based on the summation of the concen-

trations of classified components.

Components:

3,5,7-triaza-1-azoniatricyclo(3,3,1,13,7)decane:

Ecotoxicology Assessment

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects.

emamectin benzoate:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.174 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.001 mg/l

Exposure time: 48 h

LC50 (Americamysis): 0.00004 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)):

0.0174 mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)):

0.0046 mg/l

End point: Growth rate Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10,000

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.012 mg/l

Exposure time: 32 zd

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Americamysis): 0.000018 mg/l

Exposure time: 28 zd

M-Factor (Chronic aquatic 1,000



Version 2.0

Revision Date: 01/30/2020

SDS Number: S00027065176 This version replaces all previous versions.

toxicity)

Persistence and degradability

Components:

emamectin benzoate:

Biodegradability Result: Not readily biodegradable.

Stability in water Degradation half life: 0.4 - 1.74 d

Remarks: Product is not persistent.

Bioaccumulative potential

Components:

emamectin benzoate:

Bioaccumulation Remarks: Does not bioaccumulate.

Mobility in soil

Components:

emamectin benzoate:

Distribution among environ-

mental compartments

Stability in soil Dissipation time: 0.335 - 2.56 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

Components:

emamectin benzoate:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not contaminate ponds, waterways or ditches with

Remarks: immobile

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.



Version Revision Date: SDS Number: This version replaces all previous versions.

2.0 01/30/2020 S00027065176

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(EMAMECTIN BENZOATE)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(EMAMECTIN BENZOATE)

Class : 9 Packing group : III

Labels : Class 9 - Miscellaneous dangerous substances and articles

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen:

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(EMAMECTIN BENZOATE)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Version Revision Date: SDS Number: This version replaces all previous versions.

2.0 01/30/2020 S00027065176

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Causes moderate eye irritation.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

EPCRA - Emergency Planning and Community Right-to-Know

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

cyanocobalamin 68-19-9 >= 5 - < 10 %

The ingredients of this product are reported in the following inventories:

TSCA : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.




Version Revision Date: SDS Number: 2.0

01/30/2020 S00027065176

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



This version replaces all previous versions.

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH USA, ACGIH Threshold Limit Values (TLV) NIOSH REL USA. NIOSH Recommended Exposure Limits

OSHA Z-1 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA 8-hour, time-weighted average Short-term exposure limit ACGIH / STEL

Time-weighted average concentration for up to a 10-hour NIOSH REL / TWA

workday during a 40-hour workweek

NIOSH REL / ST STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA Z-1 / TWA 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable



Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 01/30/2020 S00027065176

Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 01/30/2020

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8