MSDS DATE: 01/09/2019

CATCHMASTERTM Brand Adhesive Devices

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: CATCHMASTER™ Brand Products (Insect and Rodent glue traps and monitors)

SYNONYMS: N/A
PRODUCT CODES:

Model No. Description 102 Mouse Size Glue Trays 102SD Mouse Size Glue Trays Display 104-12/104-12 French Mouse Size Glue Trays 104SD Mouse Size Glue Trays Display Slim Mouse Trap Refills 12-10 202SD Enclosed Mouse Size Glue Trays Display 402 Rat Size Glue Trays 402SD Rat Size Glue Trays Display Heavy Duty Rat Size Glue Tray w/ Hercules PuttyTM 404SD Cold Temperature Glue Trap 48WRG 424XL Jumbo Rat Glue Traps 504 Bed Bug Monitor Slider BBEDSTM Bedbug Early Detection System 506/506F Spider & Insect Glue Traps Display 724 1872SD Mouse Insect & Snake Glue Boards Display 36-72SD Mouse Insect & Snake Glue Boards Display 812SD Pantry Pest Moth Glue Traps Display 872 Home Pest Trap 813SD Pantry Pest Moth Glue Traps Display 814SD Clothes Moth Trap 60M Mouse Insect & Snake Glue Boards Bulk 30R Rat Glue Boards Bulk 75M Econo Mouse & Insect Glue Boards Bulk 904 Clear Fly Glue Trap for Window 906/906F SilenTrapTM Flying Insect Trap w/ Glue Board* 920/920F SilenTrap™ Flying Insect Trap Replacement Glue Boards 908/908F/908FD GLOstikTM Flying Insect Trap GLOstikTM Flying Insect Trap Replacement Tubes 922/922F Mini Gold StickTM w/ Multi-Bait Attractant 912R/912R4/912R6 915 Mini Gold StickTM Fly Glue Trap for 901 Fly Light Unit 924 925 Fly Glue Trap for 911 Fly Light Unit 928 Fly Glue Trap for 910 Fly Light Unit 930 Spider WebTM Fly Glue Trap 931 Fly Glue Trap Roll 948 Fly Glue Trap w/ Multi-Bait Attractant 962 Large Gold StickTM w/ Multi-Bait Attractant Large Gold StickTM 963/963-12 9144B4 Scented Bug & Fly Catcher Bulk Pakced 9144M4 Scented Bug & Fly Catcher

^{*}SDS covers Glue Board Trap Only

NAME OF PRODUCT

CATCHMASTERTM Brand Adhesive Devices

FILE NO.001

MSDS DATE: 01/09/2019

MANUFACTURER: AP&G Co., Inc.

DIVISION: United States

ADDRESS: 75 East 20th Street, Bayonne, NJ 07002

EMERGENCY PHONE: (718) 492-3648

FAX PHONE: (718) 439-0039

CHEMICAL NAME: N/A CHEMICAL FAMILY: N/A CHEMICAL FORMULA: N/A

PRODUCT USE: Rodent and Insect Monitoring Devices

PREPARED BY: AP&G Co., Inc.

SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

As per OSHA Standards this product is Non-Hazardous

EMERGENCY OVERVIEW:

ROUTES OF ENTRY:

ROUTES OF ENTRY	POTENTIAL HEALTH EFFECTS	
EYES	N/A	
SKIN	N/A	
INGESTION	N/A	
INHALATION	N/A	

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH HAZARDS	None
CHRONIC HEALTH HAZARDS	None
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE	None

CARCINOGENICITY:

AGENCY	None
OSHA	None
ACGIH	None
NTP	None
IARC	None
OTHER	None

SECTION 2 NOTES:

NAME OF PRODUCT

CATCHMASTERTM Brand Adhesive Devices

FILE NO.001

MSDS DATE: 01/09/2019

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

	ppm	mg/m³
OSHA PEL-TWA	None Established	None Established
OSHA PEL STEL	None Established	None Established
OSHA PEL CEILING	None Established	None Established
ACGIH TLV-TWA	None Established	None Established
ACGIH TLV STEL	None Established	None Established
ACGIH TLV CEILING	None Established	None Established

SECTION 3 NOTES:

SECTION 4: FIRST AID MEASURES

EYES	Flush with cool water for at least 15 minutes, contact a physician
SKIN	Remove glue with mineral spirits or vegetable oil. Wash skin with soap and water.
INGESTION	Call a physician or emergency phone number immediately.Do not give anything by mouth or induce vomiting unless instructed by physician
INHALATION	N/A

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

NONE

SECTION 4 NOTES:

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR (% BY VOLUME)		
UPPER	N/A	
LOWER	N/A	

		FLASH POINT	
0F	421		
°C	216		

METHOD USED:

AUTOIGNITION TEMPERATURE		
°F	N/A	
0C	N/A	

NFPA HAZARD CLASSIFICATION		
HEALTH	0 (Minimal)	
FLAMMABILITY	0 (Minimal)	
REACTIVITY	0 (Minimal)	
OTHER	0 (Minimal)	

HMIS HAZARD CLASSIFICATION		
HEALTH	0 (Minimal)	
FLAMMABILITY	0 (Minimal)	
REACTIVITY	0 (Minimal)	

NAME OF PRODUCT

CATCHMASTERTM Brand Adhesive Devices

FILE NO.001

MSDS DATE: 01/09/2019

HMIS HAZARD CLASSIFICATION		
OTHER	0 (Minimal)	

COMMENTS		
EXTINGUISHING MEDIA	Water, Foam or Inert Gas	
SPECIAL FIRE FIGHTING PROCEDURES	None	
UNUSUAL FIRE AND EXPLOSION HAZARDS	None	
HAZARDOUS DECOMPOSITION PRODUCTS	None	

SECTION 5 NOTES:

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Steps to be taken in the event the material is released or spilled: General clean up. Remove glue by applying mineral spirits to the spilled area, followed by washing the area with warm water and detergent.

SECTION 6 NOTES:

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE:

Store at room temperature. The average shelf life is "Stable".

OTHER PRECAUTIONS:

Store in original container in a cool, dust free environment.

SECTION 7 NOTES:

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

PARAMETER	COMMENTS		COMMENTS	
VENTILATION	Not Required			
RESPIRATORY PROTECTION	Not Required			
EYE PROTECTION	Not Required			
SKIN PROTECTION	Gloves recommended. Otherwise, none.			
OTHER PROTECTIVE CLOTHING OR EQUIPMENT	Not Required			
WORK HYGIENIC PRACTICES	Not required			
EXPOSURE GUIDELINES	Not Required			

SECTION 8 NOTES:

NAME OF PRODUCT

CATCHMASTERTM Brand Adhesive Devices

FILE NO.001

MSDS DATE: 01/09/2019

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

PARAMETER	COMMENTS
ODOR	Scent Free or Non-Allergenic Synthetic Scents
PHYSICAL STATE	Solid
pH AS SUPPLIED	Neutral
pH (Other)	N/A
BOILING POINT (°F)	N/A
BOILING POINT (°C)	N/A
MELTING POINT (°F)	171.39
MELTING POINT (°C)	77.44
VAPOR PRESSURE (mm Hg) @ °F	N/A
VAPOR PRESSURE (mm Hg) @ °C	N/A
VAPOR DENSITY (AIR = 1) @ 0F	N/A
VAPOR DENSITY (AIR = 1) @ °C	N/A
SPECIFIC GRAVITY (H2O = 1) @ 0F	N/A
SPECIFIC GRAVITY (H2O = 1) @ °C	N/A
EVAPORATION RATE BASIS (=1)	
SOLUBILITY IN WATER	N/A
PERCENT SOLIDS BY WEIGHT	100%
PERCENT VOLATILE BY WEIGHT	N/A
PERCENT VOLATILE BY VOLUME @ 0F	N/A
PERCENT VOLATILE BY VOLUME @ °C	N/A
VOLATILE ORGANIC COMPOUNDS (VOC) WITH WATER: LBS/GAL	N/A
VOLATILE ORGANIC COMPOUNDS (VOC) WITHOUT WATER: LBS/GAL	N/A
MOLECULAR WEIGHT	
VISCOSITY @ 221 °F	9629 cP
VISCOSITY @ 105 °C	9629 cP

SECTION 9 NOTES:

SECTION 10: STABILITY AND REACTIVITY

CLASSIFICATION	COMMENTS
STABLE	X
UNSTABLE	

STABILITY:

CLASSIFICATION	COMMENTS
CONDITIONS TO AVOID (STABILITY)	None
INCOMPATIBILITY (MATERIAL TO AVOID)	None
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS	None
HAZARDOUS POLYMERIZATION	None
CONDITIONS TO AVOID (POLYMERIZATION)	Will Not Occur

SECTION 10 NOTES:

NAME OF PRODUCT

CATCHMASTERTM Brand Adhesive Devices

FILE NO.001

MSDS DATE: 01/09/2019

SECTION 11: TOXICOLOGICAL	INFORMATION
TOXICOLOGICAL INFORMATION	N: None
SECTION 11 NOTES:	
020110N 11 NO120.	
SECTION 12: ECOLOGICAL INI	FORMATION
ECOLOGICAL INFORMATION: N	one
SECTION 12 NOTES:	
SECTION 12 NOTES.	
SECTION 13: DISPOSAL CONS	BIDERATIONS
WASTE DISPOSAL METHOD:	
Mantan manulting from the manulting	disposed of an aire or at an annual disposed facility. Dispose of wastes in accordance with all applicable
Federal, State and Local regulation	e disosed of on-site or at an approved waste disposal facility. Dispose of wastes in accordance with all applicable
rederal, State and Local regulation	
RCRA HAZARD CLASS:	
SECTION 13 NOTES:	
SECTION 14: TRANSPORT INF	ODMATION
SECTION 14: TRANSPORT INF	URMATION
U.S. DEPARTMENT OF TRANSF	OPTATION
U.S. DEPARTMENT OF TRANSP	ORIATION
PARAMETER	COMMENTS
PROPER SHIPPING NAME	Not Required
HAZARD CLASS	Non-Hazardous
ID NUMBER	Not Required
PACKING GROUP	Not Required
LABEL STATEMENT	None Required
	·······················
WATER TRANSPORTATION	
PARAMETER	COMMENTS

AIR TRANSPORTATION

LABEL STATEMENTS

HAZARD CLASS

PACKING GROUP

ID NUMBER

PROPER SHIPPING NAME

Not Required

Not Required

Not Required None Required

Non-Hazardous

PARAMETER	COMMENTS
PROPER SHIPPING NAME	Not Required

FILE NO.001

MSDS DATE: 01/09/2019

NAME OF PRODUCT

CATCHMASTERTM Brand Adhesive Devices

PARAMETER	COMMENTS
	OCIMINE I I I
HAZARD CLASS	Non-Hazardous
ID NUMBER	Not Required
PACKING GROUP	Not Required
LABEL STATEMENTS	None Required

OTH	IER	AGEN	ICIES:
-----	------------	-------------	--------

SECTION 14 NOTES:

Freight Classification: LTL Class 60. Every single package of CATCHMASTER™ Product is marked EPA - Establishment number 91557-NJ-001. This is mandated by the United States Of America Environmental Protections Agency regulations. Furthermore, detailed annual Production and Sales Reports must be filed each and every year with the E.P.A., by the AP&G Co., Inc.

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

REGULATION	COMMENTS
TSCA (TOXIC SUBSTANCE CONTROL ACT):	None
CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT)	None
SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)	None
311/312 HAZARD CATEGORIES	None
313 REPORTABLE INGREDIENTS	None

INTERNATIONAL REGULATIONS:

SECTION 15 NOTES:		
SECTION 16: OTHER INFORMATION		

PREPARATION INFORMATION:

OTHER INFORMATION:

SDS 001 CATCHMASTER - PCO Rodent, Insect and Fly. Prepared February 12, 2016 Updated January 09, 2019

DISCLAIMER: